

2/25/26

Chan	Address	Position & Unit#	Inst Type & Load	Purpose	Color	Gobo
(1)	1/4	FOH Beam Low #4	ETC S4-26 575w	Front 1		
(2)	1/11	FOH Beam Low #6	ETC S4-26 575w	Front 1		
(3)	1/16	FOH Beam Low #9	ETC S4-26 575w	Front 1		
(4)	1/18	FOH Beam Low #12	ETC S4-26 575w	Front 1		
(5)	1/28	FOH Beam Low #14	ETC S4-26 575w	Front 1		
(6)	1/8	FOH Beam High #1	ETC S4-19 575w	Front 1		
(7)	1/12	FOH Beam High #3	ETC S4-19 575w	Front 1		
(8)	1/17	FOH Beam High #5	ETC S4-19 575w	Front 1		
(9)	1/21	FOH Beam High #7	ETC S4-19 575w	Front 1		
(10)	1/23	FOH Beam High #9	ETC S4-19 575w	Front 1		
(11)	1/9	FOH Beam Low #5	ETC S4-26 575w	Front 2		
(12)	1/13	FOH Beam Low #7	ETC S4-26 575w	Front 2		
(13)	1/3	FOH Beam Low #10	ETC S4-26 575w	Front 2		
(14)	1/30	FOH Beam Low #13	ETC S4-26 575w	Front 2		
(15)	1/25	FOH Beam Low #15	ETC S4-26 575w	Front 2		
(16)	1/10	FOH Beam High #2	ETC S4-19 575w	Front 2		
(17)	1/14	FOH Beam High #4	ETC S4-19 575w	Front 2		
(18)	1/19	FOH Beam High #6	ETC S4-19 575w	Front 2		
(19)	1/11	FOH Beam High #8	ETC S4-19 575w	Front 2		
(20)	1/24	FOH Beam High #10	ETC S4-19 575w	Front 2		
(21)	1/5	FOH Beam Low #1	ETC S4-26 575w	Frnt Diag 1		
	1/6	FOH Beam Low #2	"	"		
	1/7	FOH Beam Low #3	"	"		
(22)	1/26	FOH Beam Low #16	ETC S4-26 575w	Frnt Diag 1		
	"	FOH Beam Low #17	"	"		
	1/27	FOH Beam Low #18	"	"		
(23)	1/1	HR House Boom 2 #1	ETC S4-26 575w	Frnt Diag 2		
	"	HR House Boom 2 #2	"	"		
	1/156	HR House Boom 2 #3	"	"		

2/25/26

Chan	Address	Position & Unit#	Inst Type & Load	Purpose	Color	Gobo
(24)	1/29	HR House Boom 2 #1	ETC S4-26 575w	Frnt Diag 2		
	"	HR House Boom 2 #2	"	"		
	1/157	HR House Boom 2 #3	"	"		
(25)	1/32	HR House Boom 1 #2	ETC S4-26 575w	Frnt Diag 3		
	1/33	HR House Boom 1 #3	"	"		
	1/34	HR House Boom 1 #4	"	"		
(26)	1/39	HL House Boom 1 #2	ETC S4-26 575w	Frnt Diag 3		
	1/38	HL House Boom 1 #3	"	"		
	1/40	HL House Boom 1 #4	"	"		
(31)	1/49	Elec. #1 #5	ETC S4 PAR MFL 575w	Down 2		
(32)	1/52	Elec. #1 #9	ETC S4 PAR MFL 575w	Down 2		
(33)	1/57	Elec. #1 #14	ETC S4 PAR MFL 575w	Down 2		
(34)	1/60	Elec. #1 #18	ETC S4 PAR MFL 575w	Down 2		
(35)	1/162	Elec. #2 #4	ETC S4 PAR MFL 575w	Down 2		
(36)	1/77	Elec. #2 #8	ETC S4 PAR MFL 575w	Down 2		
(37)	1/79	Elec. #2 #13	ETC S4 PAR MFL 575w	Down 2		
(38)	1/84	Elec. #2 #16	ETC S4 PAR MFL 575w	Down 2		
(39)	1/116	Elec. #3 #4	ETC S4 PAR MFL 575w	Down 2		
	"	Elec. #3 #7	"	"		
(40)	1/89	Elec. #3 #11	ETC S4 PAR MFL 575w	Down 2		
	"	Elec. #3 #14	"	"		
(41)	1/94	Elec. #4 #2	ETC S4 PAR MFL 575w	Down 2		
	"	Elec. #4 #7	"	"		
(42)	1/102	Elec. #4 #12	ETC S4 PAR MFL 575w	Down 2		
	"	Elec. #4 #17	"	"		
(51)	1/48	Elec. #1 #4	ETC S4 PARnel 575w	Down 1		
(52)	1/53	Elec. #1 #8	ETC S4 PARnel 575w	Down 1		
(53)	1/56	Elec. #1 #13	ETC S4 PARnel 575w	Down 1		
(54)	1/61	Elec. #1 #17	ETC S4 PARnel 575w	Down 1		
(55)	1/74	Elec. #2 #3	ETC S4 PARnel 575w	Down 1		
(56)	1/76	Elec. #2 #7	ETC S4 PARnel 575w	Down 1		

2/25/26

Chan	Address	Position & Unit#	Inst Type & Load	Purpose	Color	Gobo
(57)	1/80	Elec. #2 #12	ETC S4 PARnel 575w	Down 1		
(58)	1/83	Elec. #2 #15	ETC S4 PARnel 575w	Down 1		
(59)	1/115	Elec. #3 #3	ETC S4 PAR MFL 575w	Down 1		
	"	Elec. #3 #6	"	"		
(60)	1/90	Elec. #3 #10	ETC S4 PAR MFL 575w	Down 1		
	"	Elec. #3 #13	"	"		
(61)	1/93	Elec. #4 #1	ETC S4 PAR MFL 575w	Down 1		
	"	Elec. #4 #6	"	"		
(62)	1/103	Elec. #4 #11	ETC S4 PAR MFL 575w	Down 1		
	"	Elec. #4 #16	"	"		
(111)	2/210	Elec. #4 #1	Mrtn Thrl Cmct PAR 30w	Traveler		
(112)	2/220	Elec. #4 #2	Mrtn Thrl Cmct PAR 30w	Traveler		
(113)	2/230	Elec. #4 #3	Mrtn Thrl Cmct PAR 30w	Traveler		
(114)	2/240	Elec. #4 #4	Mrtn Thrl Cmct PAR 30w	Traveler		
(115)	2/250	Elec. #4 #5	Mrtn Thrl Cmct PAR 30w	Traveler		
(116)	2/260	Elec. #4 #6	Mrtn Thrl Cmct PAR 30w	Traveler		
(121)	1/43	SL Boom #2	ETC S4-36 575w	Shin		
(122)	1/88	SR Boom #2	ETC S4-36 575w	Shin		
(123)	1/107	SL Boom #2	ETC S4-36 575w	Shin		
(124)	1/137	SR Boom #2	ETC S4-36 575w	Shin		
(125)	1/111	SL Boom #2	ETC S4-36 575w	Shin		
(126)	1/141	SR Boom #2	ETC S4-36 575w	Shin		
(127)	1/129	SL Boom #2	ETC S4-36 575w	Shin		
(128)	1/145	SR Boom #2	ETC S4-36 575w	Shin		
(129)	1/127	SL Boom #2	ETC S4-36 575w	Shin		
(130)	1/126	SR Boom #2	ETC S4-36 575w	Shin		
(131)	1/44	SL Boom #1	ETC S4-36 575w	Head		

2/25/26

Chan	Address	Position & Unit#	Inst Type & Load	Purpose	Color	Gobo
(132)	1/135	SR Boom #1	ETC S4-36 575w	Head		
(133)	1/108	SL Boom #1	ETC S4-36 575w	Head		
(134)	1/136	SR Boom #1	ETC S4-36 575w	Head		
(135)	1/112	SL Boom #1	ETC S4-36 575w	Head		
(136)	1/140	SR Boom #1	ETC S4-36 575w	Head		
(137)	1/128	SL Boom #1	ETC S4-36 575w	Head		
(138)	1/144	SR Boom #1	ETC S4-36 575w	Head		
(139)	1/130	SL Boom #1	ETC S4-36 575w	Head		
(140)	1/146	SR Boom #1	ETC S4-36 575w	Head		
(141)	1/110	Elec. #1 #1	ETC S4-36 575w	Hi Sd SL		
(142)	1/69	Elec. #2 #1	ETC S4-36 575w	Hi Sd SL		
(143)	1/113	Elec. #3 #1	ETC S4-36 575w	Hi Sd SL		
(144)	1/46	Elec. #1 #2	ETC S4-36 575w	Hi Sd SL		
(145)	1/71	Elec. #2 #2	ETC S4-36 575w	Hi Sd SL		
(146)	1/109	Elec. #3 #2	ETC S4-36 575w	Hi Sd SL		
(151)	1/138	Elec. #1 #21	ETC S4-36 575w	Hi Sd SR		
(152)	1/139	Elec. #2 #18	ETC S4-36 575w	Hi Sd SR		
(153)	1/124	Elec. #3 #16	ETC S4-36 575w	Hi Sd SR		
(154)	1/62	Elec. #1 #20	ETC S4-36 575w	Hi Sd SR		
(155)	1/86	Elec. #2 #17	ETC S4-36 575w	Hi Sd SR		
(156)	1/105	Elec. #3 #15	ETC S4-36 575w	Hi Sd SR		
(201)	1/50	Elec. #1 #6	ETC S4-2550 ZM 575w	Top 1		
(202)	1/55	Elec. #1 #12	ETC S4-2550 ZM 575w	Top 1		
(203)	1/59	Elec. #1 #16	ETC S4-2550 ZM 575w	Top 1		
(204)	1/75	Elec. #2 #5	ETC S4-2550 ZM 575w	Top 1		
(205)	1/78	Elec. #2 #9	ETC S4-2550 ZM 575w	Top 1		
(206)	1/82	Elec. #2 #14	ETC S4-2550 ZM 575w	Top 1		
(207)	1/117	Elec. #3 #5	ETC S4-2550 ZM 575w	Top 1		
(208)	1/118	Elec. #3 #8	ETC S4-2550 ZM 575w	Top 1		
(209)	1/104	Elec. #3 #12	ETC S4-2550 ZM 575w	Top 1		
(210)	1/95	Elec. #4 #4	ETC S4-2550 ZM 575w	Top 1		

2/25/26

Chan	Address	Position & Unit#	Inst Type & Load	Purpose	Color	Gobo
(211)	1/98	Elec. #4 #9	ETC S4-2550 ZM 575w	Top 1		
(212)	1/100	Elec. #4 #15	ETC S4-2550 ZM 575w	Top 1		
(301)	2/1	Elec. #5 #1	Ovtn Cyc 1FC 138w	Cyc		
(302)	2/17	Elec. #5 #2	Ovtn Cyc 1FC 138w	Cyc		
(303)	2/33	Elec. #5 #3	Ovtn Cyc 1FC 138w	Cyc		
(304)	2/48	Elec. #5 #4	Ovtn Cyc 1FC 138w	Cyc		
(305)	2/49	Elec. #5 #5	Ovtn Cyc 1FC 138w	Cyc		
(306)	2/65	Elec. #5 #6	Ovtn Cyc 1FC 138w	Cyc		
(307)	2/81	Elec. #5 #7	Ovtn Cyc 1FC 138w	Cyc		
(308)	2/91	Elec. #5 #8	Ovtn Cyc 1FC 138w	Cyc		
(421)	1/47	Elec. #1 #3	ETC S4-26 575w	Special		
(422)	1/51	Elec. #1 #7	ETC S4-26 575w	Special		
(423)	1/54	Elec. #1 #10	ETC S4-26 575w	Special		
(424)	1/161	Elec. #1 #11	ETC S4 PARnel 575w	Special		
(425)	1/58	Elec. #1 #15	ETC S4-26 575w	Special		
(426)	1/64	Elec. #1 #19	ETC S4-26 575w	Special		
(427)	1/73	Elec. #2 #6	ETC S4-26 575w	Special		
(428)	1/87	Elec. #2 #10	ETC S4-26 575w	Special		
(429)	1/85	Elec. #2 #11	ETC S4 PARnel 575w	Special		
(451)	1/164	Elec. #4 #3	ETC S4-19 575w	Special		
(452)	1/96	Elec. #4 #5	ETC S4-19 575w	Special		
(453)	1/97	Elec. #4 #8	ETC S4-19 575w	Special		
(454)	1/99	Elec. #4 #10	ETC S4-19 575w	Special		
(455)	1/106	Elec. #4 #13	ETC S4-19 575w	Special		
(456)	1/101	Elec. #4 #14	ETC S4-19 575w	Special		
(490)	1/15	FOH Beam Low #8	ETC S4-19 750w	Spot		
(491)	1/20	FOH Beam Low #11	ETC S4-19 750w	Spot		
(502)	1/31	HR House Boom 1 #1	ETC S4-2550 ZM 575w	Crtn Wmr		
(503)	1/37	HL House Boom 1 #1	ETC S4-2550 ZM 575w	Crtn Wmr		

2/25/26

Position	Unit#	Purpose	Inst Type & Load	Color	Gobo	Chan	Addr
FOH Beam Low	1	Frt Diag 1	ETC S4-26 575w			(21)	1/5
	2	"	"			"	1/6
	3	"	"			"	1/7
	4	Front 1	"			(1)	1/4
	5	Front 2	"			(11)	1/9
	6	Front 1	"			(2)	1/11
	7	Front 2	"			(12)	1/13
	8	Spot	ETC S4-19 750w			(490)	1/15
	9	Front 1	ETC S4-26 575w			(3)	1/16
	10	Front 2	"			(13)	1/3
	11	Spot	ETC S4-19 750w			(491)	1/20
	12	Front 1	ETC S4-26 575w			(4)	1/18
	13	Front 2	"			(14)	1/30
	14	Front 1	"			(5)	1/28
	15	Front 2	"			(15)	1/25
	16	Frt Diag 1	"			(22)	1/26
	17	"	"			"	"
	18	"	"			"	1/27
FOH Beam High	1	Front 1	ETC S4-19 575w			(6)	1/8
	2	Front 2	"			(16)	1/10
	3	Front 1	"			(7)	1/12
	4	Front 2	"			(17)	1/14
	5	Front 1	"			(8)	1/17
	6	Front 2	"			(18)	1/19
	7	Front 1	"			(9)	1/21
	8	Front 2	"			(19)	1/11
	9	Front 1	"			(10)	1/23
	10	Front 2	"			(20)	1/24

2/25/26

Position	Unit#	Purpose	Inst Type & Load	Color	Gobo	Chan	Addr
HR House Boom 1	1	Crtn Wmr	ETC S4-2550 ZM 575w			(502)	1/31
	2	Frt Diag 3	ETC S4-26 575w			(25)	1/32
	3	"	"			"	1/33
	4	"	"			"	1/34
HR House Boom 2	1	Frt Diag 2	ETC S4-26 575w			(23)	1/1
	"	"	"			(24)	1/29
	2	"	"			(23)	1/1
	"	"	"			(24)	1/29
	3	"	"			(23)	1/156
	"	"	"			(24)	1/157
HL House Boom	1	Crtn Wmr	ETC S4-2550 ZM 575w			(503)	1/37
	2	Frt Diag 3	ETC S4-26 575w			(26)	1/39
	3	"	"			"	1/38
	4	"	"			"	1/40

2/25/26

Position	Unit#	Purpose	Inst Type & Load	Color	Gobo	Chan	Addr
Elec. #1	1	Hi Sd SL	ETC S4-36 575w			(141)	1/110
	2	"	"			(144)	1/46
	3	Special	ETC S4-26 575w			(421)	1/47
	4	Down 1	ETC S4 PARnel 575w			(51)	1/48
	5	Down 2	ETC S4 PAR MFL 575w			(31)	1/49
	6	Top 1	ETC S4-2550 ZM 575w			(201)	1/50
	7	Special	ETC S4-26 575w			(422)	1/51
	8	Down 1	ETC S4 PARnel 575w			(52)	1/53
	9	Down 2	ETC S4 PAR MFL 575w			(32)	1/52
	10	Special	ETC S4-26 575w			(423)	1/54
	11	"	ETC S4 PARnel 575w			(424)	1/161
	12	Top 1	ETC S4-2550 ZM 575w			(202)	1/55
	13	Down 1	ETC S4 PARnel 575w			(53)	1/56
	14	Down 2	ETC S4 PAR MFL 575w			(33)	1/57
	15	Special	ETC S4-26 575w			(425)	1/58
	16	Top 1	ETC S4-2550 ZM 575w			(203)	1/59
	17	Down 1	ETC S4 PARnel 575w			(54)	1/61
	18	Down 2	ETC S4 PAR MFL 575w			(34)	1/60
	19	Special	ETC S4-26 575w			(426)	1/64
	20	Hi Sd SR	ETC S4-36 575w			(154)	1/62
	21	"	"			(151)	1/138

2/25/26

Position	Unit#	Purpose	Inst Type & Load	Color	Gobo	Chan	Addr
Elec. #2	1	Hi Sd SL	ETC S4-36 575w			(142)	1/69
	2	"	"			(145)	1/71
	3	Down 1	ETC S4 PARnel 575w			(55)	1/74
	4	Down 2	ETC S4 PAR MFL 575w			(35)	1/162
	5	Top 1	ETC S4-2550 ZM 575w			(204)	1/75
	6	Special	ETC S4-26 575w			(427)	1/73
	7	Down 1	ETC S4 PARnel 575w			(56)	1/76
	8	Down 2	ETC S4 PAR MFL 575w			(36)	1/77
	9	Top 1	ETC S4-2550 ZM 575w			(205)	1/78
	10	Special	ETC S4-26 575w			(428)	1/87
	11	"	ETC S4 PARnel 575w			(429)	1/85
	12	Down 1	"			(57)	1/80
	13	Down 2	ETC S4 PAR MFL 575w			(37)	1/79
	14	Top 1	ETC S4-2550 ZM 575w			(206)	1/82
	15	Down 1	ETC S4 PARnel 575w			(58)	1/83
	16	Down 2	ETC S4 PAR MFL 575w			(38)	1/84
	17	Hi Sd SR	ETC S4-36 575w			(155)	1/86
	18	"	"			(152)	1/139

2/25/26

Position	Unit#	Purpose	Inst Type & Load	Color	Gobo	Chan	Addr
Elec. #3	1	Hi Sd SL	ETC S4-36 575w			(143)	1/113
	2	"	"			(146)	1/109
	3	Down 1	ETC S4 PAR MFL 575w			(59)	1/115
	4	Down 2	"			(39)	1/116
	5	Top 1	ETC S4-2550 ZM 575w			(207)	1/117
	6	Down 1	ETC S4 PAR MFL 575w			(59)	1/115
	7	Down 2	"			(39)	1/116
	8	Top 1	ETC S4-2550 ZM 575w			(208)	1/118
	10	Down 1	ETC S4 PAR MFL 575w			(60)	1/90
	11	Down 2	"			(40)	1/89
	12	Top 1	ETC S4-2550 ZM 575w			(209)	1/104
	13	Down 1	ETC S4 PAR MFL 575w			(60)	1/90
	14	Down 2	"			(40)	1/89
	15	Hi Sd SR	ETC S4-36 575w			(156)	1/105
	16	"	"			(153)	1/124

2/25/26

Position	Unit#	Purpose	Inst Type & Load	Color	Gobo	Chan	Addr
Elec. #4	1	Down 1	ETC S4 PAR MFL 575w			(61)	1/93
	"	Traveler	Mrtn Thrl Cmct PAR 30w			(111)	2/210
	2	Down 2	ETC S4 PAR MFL 575w			(41)	1/94
	"	Traveler	Mrtn Thrl Cmct PAR 30w			(112)	2/220
	3	Special	ETC S4-19 575w			(451)	1/164
	"	Traveler	Mrtn Thrl Cmct PAR 30w			(113)	2/230
	4	Top 1	ETC S4-2550 ZM 575w			(210)	1/95
	"	Traveler	Mrtn Thrl Cmct PAR 30w			(114)	2/240
	5	Special	ETC S4-19 575w			(452)	1/96
	"	Traveler	Mrtn Thrl Cmct PAR 30w			(115)	2/250
	6	Down 1	ETC S4 PAR MFL 575w			(61)	1/93
	"	Traveler	Mrtn Thrl Cmct PAR 30w			(116)	2/260
	7	Down 2	ETC S4 PAR MFL 575w			(41)	1/94
	8	Special	ETC S4-19 575w			(453)	1/97
	9	Top 1	ETC S4-2550 ZM 575w			(211)	1/98
	10	Special	ETC S4-19 575w			(454)	1/99
	11	Down 1	ETC S4 PAR MFL 575w			(62)	1/103
	12	Down 2	"			(42)	1/102
	13	Special	ETC S4-19 575w			(455)	1/106
	14	"	"			(456)	1/101
	15	Top 1	ETC S4-2550 ZM 575w			(212)	1/100
	16	Down 1	ETC S4 PAR MFL 575w			(62)	1/103
	17	Down 2	"			(42)	1/102

2/25/26

Position	Unit#	Purpose	Inst Type & Load	Color	Gobo	Chan	Addr
Elec. #5	1	Cyc	Ovtn Cyc 1FC 138w			(301)	2/1
	2	"	"			(302)	2/17
	3	"	"			(303)	2/33
	4	"	"			(304)	2/48
	5	"	"			(305)	2/49
	6	"	"			(306)	2/65
	7	"	"			(307)	2/81
	8	"	"			(308)	2/91
SL Boom	1	Head	ETC S4-36 575w			(133)	1/108
	"	"	"			(135)	1/112
	"	"	"			(137)	1/128
	"	"	"			(139)	1/130
	"	"	"			(131)	1/44
	2	Shin	"			(123)	1/107
	"	"	"			(125)	1/111
	"	"	"			(127)	1/129
	"	"	"			(129)	1/127
	"	"	"			(121)	1/43
SR Boom	1	Head	ETC S4-36 575w			(132)	1/135
	"	"	"			(134)	1/136
	"	"	"			(136)	1/140
	"	"	"			(138)	1/144
	"	"	"			(140)	1/146
	2	Shin	"			(122)	1/88
	"	"	"			(124)	1/137
	"	"	"			(126)	1/141
	"	"	"			(128)	1/145
	"	"	"			(130)	1/126